

Product Description

1. Rotary bush hammer roller for hand grinder, for floor preparation before laying new coatings.
2. Bush hammer roller with u support, to remove old glue and resin coatings, in particular thick resins.
3. **30 Teeth Bush Hammer Roller For Manufacturer** to expose the aggregate in concrete floors to prepare for concrete polishing.
4. Rotary bush hammer for stone surface fabricating, making bush hammered effect for stone products.

Feature:

1. The repeated hit of these tips into stone or concrete surface creates a rough, pockmarked texture that looks like naturally weathered rock. bush hammer roller for litchi finish.
2. Use as a scarifying machine with the advantage that it is aggressive but gentle enough not to "dig" uncontrollably into the floor surface.
3. Creates slip-resistant finish on granite and marble, breaks down coatings standard diamonds can't touch, prepares surface for application of thin-set overlay.

Product Specification:

The Following Are Normal Specifications **Rotary Bush Hammer Roller For Hand Grinder:**

Roller Diameter	Roller Width	Support Shape	Roller Type	Application
34mm	22m	U Shape	Vacuum Brazing Roller or Carbide Alloy Roller	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99		
BW-BHR3307	33	6	7	Star Type	
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

More Normal Specification Of Rotary Bush Hammer Plate:

Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.


Product show

30 Teeth Rotary Cemented Carbide Bush Hammer Roller For For Hand Held Grinder

boreway®

30S Alloy Teeth

**U Shaped
Integral Bracket**





Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Application:

Bush hammer roller with u support,for granite, marble sandstone,concrete floor, asphalt pavement.

U shape rotary bush hammer roller for 125mm double layer grinding disc, for hand held grinder.

Kindly Noted, When Place Order Please Inform The Following:

- 1.Stone Effect□(Sandblasted Surface/Litchi Surface).
2. Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone).

3. Segment No.(30s, 45s, 60s, 72s, 99s, Star, Steel Dense Tooth, Vacuum Brazing).

4. Diameter of the Bush hammer plate(125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.).

5.Base Style(U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.).

6.Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders).



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

FAQ

1. What can Bush Hammers do?

Surface Prep for coatings.

Quickly expose large aggregate.

Remove hard coatings and overlays.

2. Will the teeth of the bush hammer roller fall off ?

of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



Contact Us:

Fujian Nanan **boreway** Machinery Co., Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang