

## Product Description

Double Layer Bush Hammer Grinding Plate For Manufacturer

Layer No: Double Layers

Connecting Way :M14,M16,5/8"-11

Working Condition: Wet Or Dry Use

Applicable Machine: Polishing Grinder

Bush hammer roller is used to replace damaged grinding wheels and is easy to replace.

Boreway mainly provides bush hammer tool :bush hammer roller and bush hammer plate.

Application : Rotary Bush Hammer Plate For Sandstone ,Grinding Stone for a Litchi Surface Finishing.

**Carbide Alloy Bush Hammer Plate For Manufacturer** can be used for creating bush-hammered finishes (like anti-slip surface) and removing floor coatings (like epoxy, paint, grease, mastic).

## Feature:

- 1.Bush hammer roller easy to use.
- 2.Working safely with protection cover.
- 3.Replacement bush hammer rollers are supported.
- 4.High-quality of tungsten carbides and bearing are used.
- 5.Optimized structure results in more stable performance.

## Product Specification:

The Following Are Normal Specifications **Double Layer Bush Hammer Plate With 6 Grinding Roller** :

Diameter	Roller No.	Layer Number	Material	Application
180mm	4 Pcs	2 Layer	Tungsten, Carbide Alloy	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

**More Normal Specification Of Rotary Bush Hammer Roller:**

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99		
BW-BHR3307	33	6	7		
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

**More Normal Specification Of Rotary Bush Hammer Plate:**


Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30


BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.

**Product show**

**180mm Double Layer Rotary Bush Hammer Grinding Plate For Sandstone**











### **Application:**

Double layer bush hammer plate for floor grinder.

Double layer bush hammer plate for grinding concrete, marble, granite, asphalt pavement.

Bush hammer plate for sandblasting surface, carbide bush hammer roller can create litchi surface.

Bush hammer for concrete finish, for stone sandblasting is used sophisticated welding technology and selecting high quality aluminum alloy to casting, bush hammered's grit can be changed through the adjustment of spring elasticity on bush hammer, manual grinding machine press.



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

## FAQ

1. What can Bush Hammers do?

- Make a safe non-slip surface on natural stones.
- Remove old glue and resin coatings, especially thick resins.
- Eliminate any surface and create an antique surface.
- Prepare the floor before laying a new coating.
- Expose the aggregate to the concrete floor to prepare for concrete polishing.

2.1. Will the teeth of the bush hammer roller fall off?

of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.





## Contact Us:

# Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**