

Product Description:

Semi-automatic Welding Frame machine is used for welding diamond circular saw blade, is a new type of diamond saw blade welding auxiliary equipment. This machine has gripper, pneumatic sliding table and other high-precision components, thus greatly improving the welding accuracy and efficiency, to protect the segments and the base of the welding strength. Compared with similar welding machine with a high level of automation, positioning accuracy, stability, and long service life. This series of products using user-friendly design, general workers can operate on the machine. In addition, the welding machine compact structure, most of the wearing parts can be purchased in stores around without having to rely on vendors after-sales.

Features:

- 1* Welding diameter range can be adjusted ;
- 2* Welding frame structure is compact and reliable ;
- 3* High level of automation, good stability, long service life ;
- 4* To ensure the welding diamond segments and the matrix strength ;
- 5* Automatic high-frequency heating, cooling quickly, the segment clamp tightly ;
- 6* Most of the wearing parts are available in all parts of the hardware store to buy your own replacement, convenient and quick.

All of our products have been strictly tested before access to market.

Other specifications can be customized according to requirements.

Details:

Specification of semi-automatic diamond circular saw blade welding rack

| Parameters | Numercial | |
|--------------------------------|----------------------------|----------------------------|
| Welding Range | Φ240mm - 900mm(Max 1400mm) | Φ240mm - 900mm(Max 2300mm) |
| Verticality | ≤± 0.3mm | ≤± 0.3mm |
| Parallelism | ≤± 0.3mm | ≤± 0.3mm |
| Welding Rate | 4-20 PCS/Min | 4-12 PCS/Min |
| Air Pressure | 0.3 - 0.6Mpa | 0.3 - 0.6Mpa |
| Water Pressure | ≥ 0.2Mpa | ≥ 0.2Mpa |
| Voltage | 220V 50Hz | 220V 50Hz |
| Power(From LED Light) | 1.0W | 1.0 W |
| Water Consumption | 1.5 - 2m ³ /h | 1.5 - 2m ³ /h |
| Machine Dimensions | 940*440*1440mm | 1030*550*1840mm |
| Equipment Weight | 85Kg | 160Kg |
| Package Dimensions | L1600*W520*H550 | L2000*W680*H700mm |
| Package Weight(Wooden Package) | 115Kg | 200Kg |

Related Pics

**Semi-automatic Welding Frame for Circular Diamond saw blades Model HJ08
(Max Welding Range Φ1400mm)**

boreway®



**Semi-automatic Welding Frame for Circular Diamond saw blades Model HJ165
(Max Welding Range Φ 2300mm)**

boreway®



Tool Box included



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Note:This machine doesn't include high frequency Welding machine , air compressor and water pump.

Similar Products:

High Frequency Induction Heating Machine three phases 380V+40KW



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

If you want more details of welding machines, please contact us.

Notice:

1. Before purchase, please provide the model of the machine.
2. Please provide the material before purchase.
3. Other specifications can be customized according to requirements.

Packing & Shipping:

Diamond saw blade welding frame packing in the wooden.
We can also pack the saw blade welding rack according to your requirements.
Special specifications need to be negotiated for delivery times.



CONTACT US

Mobile/WhatsApp: 0086-13559599186

Wechat: boreway05

Skype: boreway05

Facebook: 13559599186