Descriptions:

The spring in the **single layer vacuum brazing bush hammer plate** can reduce vibration and better grind the concret and stone.

Vacuum brazed bush hammer roller available in fine and coarse finish.

The 125mm single-layer grinding disc is a vacuum brazing grinding wheel with M14 interface.

The sandblasting surface can be adjusted by adjusting the spring on the bush hammer roller, or by adjusting the Bush hammer roller, and by the pressure of the manual machine.

Feature:

1. Diameter: D125mm

2. Number of Roller: 4T

- 3. Widely used on granite, marble sandstone to make rough surface. Rollers can be ordered separately for replacement.
- 4. Sandblasting Roller Plate can be used with mixing angle with other women grinding machine.
- 5. There are many styles of Bush hammer roller De, including 30s, 45s, 60s, 72s and 99S grinding wheels with U-shaped support.
- 6.Both enlarging spring's interval to reduce spring elasticity and reducing machine's press can enhance bush hammer vibration to make bush hammered face rough.
- 7. Vacuum in Crushing Sandblasting Bush Hammer Plate is for making coarse sandblasting surface. Mainly used for making anti-slip surfaces on marble, granite, and natural stones.

Specifications:

The Followings Are The Normal Specifications Of **Single Layer Vacuum Brazing Bush Hammer Plate:**

Diameter	Roller Quantity	Connection	Roller Type	
125mm (5 Inch)	4T	M14	Vacuum Brazing Bush Hammer Roller	


More normal specification of **diamond bush hammer plate**:


Model	Out Diameter		Wheel Width	Segment Quantity	Connection	Domark	1
	Model	Inch	mm	wileer width	Segment Quantity	Connection	Kemark


BW-BH12514		125	3	14		
BW-BH12514	5 5 6		4	14		
BW-BH12520			3	20	M10 M12 M16 5/8"-11 40H-50H Φ74-3*m8 Fast Connection	Singer Layer Double Layer
BW-BH12520			4	20		
BW-BH12530		125	3	30		
BW-BH15014		150	4	14		
BW-BH12520	6	150	4	20		
BW-BH15045	_	150	3	45		
BW-BH15030	6		4	30		
BW-BH20045	8	200	4	45		
BW-BH20030			6	30		
BW-BH25045	10	250	5	45		
BW-BH25030		250	6	30		
BW-BH30045	12	300	6	45		
BW-BH30030			9	30		
BW-BH35045	14	14 350	9	45		
BW-BH35030			12	30		


Product Details:


125MM Vacuum Brazing Single Layer Rotary Bush Hammer Plate For Portable Machine















D125x3TxM14
Double Layer
High Low Plate





Applications:

Use for angle grinder.

Fine processing of granite, marble, concrete and asphalt.

Kindly Noted, when place order please inform the following:

- 1.Stone Effect[Sandblasted Surface/Litchi Surface[]
- 2.Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone)
- 3. Segment No. (30s, 45s, 60s, 72, 99s, Star, Steel Dense Tooth, Vacuum Brazing)
- 4.Diameter of the Bush hammer plate(125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.)
- 5.Base Style(U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)
- 6.Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders)

Specially designed tools are available for any standard application. We can Tailor your tools to your specific needs.

Our service:

- 1. Low order quantity: It can meet the test order you need.
- 2. Fast delivery: We get great discounts from freight forwarders.
- 3. OEM Acceptable: We can produce according to your samples or drawings.
- 4. Good quality: We have a strict quality control system. Has a good reputation in the market.
- 5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

FAQ:

1. How is your quality?

We have a very seriously control system. We guarantee the high performance of our products.

2.Can we use our brand?

Yes, we provide OEM service, just send your packaging design and Logo to us.

3. Do you have different quality for different kind of stone? Yes, according hardness of stone and stone's feature, we have different typology respectively.

Please note:

- 1. Please provide items before purchase.
- 2. Please provide the model number before purchase.
- 3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan functional Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **S**Fax: (+86)595-86990220

☐ Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang