Product Description:

Sponge Polishing Pad New Type Wet sanding disc Suitable for softer stones, such as marble sandstone, jade, cream-colored stone, travertine, basalt, artificial stone, terrazzo floor.

Feature:

Combined with unique grinding formula and high quality of nylon fiber.
Open network structure, flexibility and furability, effective heat dissipation and light, can reach 75-105 degrees glossiness, work surface does not overheat discoloration.
Advantaged in high yield, long serive life and low cost compared to traditional grinding pad,Products back has nylon Velcro cloth to meet different needs of hand grinding machine, floor renovation machine, ceramic polishing machine.

Specification:

Diameter 100MM/4", Workable thickness 10MM, Inner dia 15MM

Available Grits:150#,300#,500#,1000#,2000#,3000#,6000#,10000#

Pictures:

Sponge Polishing Pad for sandstone jade travertine New Type Wet sanding disc

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

boreway®

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

More related products, Pls click here Diamond Polishing Pads

Packing & Shipping:

Sponge diamond polishing pads packing in the carton.
We can also pack the Polishing Pad according to your requirements.
Special specifications need to be negotiated with us before the delivery date

-DELIVERY-

Less than 45kg,generally delivery by express(Door to Door).

By Air / Sea for batch goods, Airport / Port receiving.

BY AIR

BY SEA

Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China.
Post Code: 362342
Tel.: 0086-595-86990206
Fax: 0086-595-86990220
Contact: Ally Huang
Mobile/WhatsApp: 0086-13559599186
Wechat: boreway05
Facebook: 13559599186
E-mail: boreway05@boreway.net
Website: http://www.diamondtools.top
http://www.fordiamondtools.com