

Product Description

Stable cutting diamond segment is fully functional and widely used.

Stone Block Diamond Segments is the best choice for stone blocks. Its exclusive blend of metal powders combined with a perfect combination of processes ensures the sharpness, wear resistance, balance and other qualities of the segment.

We have been selling diamond segments to the following countries: Russia, India, Brazil, England, Australia, America, Canada, Finland, Saudi Arabia, South Africa, Greece, Egypt and many more countries.

The stone block diamond segments cutting performance is good, regular size, with stable cutting, the curved surface at the bottom of the segment is evenly polished, and can be completely integrated with the base body, perfectly suitable for cutting any kinds of stone blocks.

Multi Saw Blade Diamond Cutting Segment For Suppliers, for granite has good sharpness and high efficiency at the process of cutting. meanwhile, it has a long lifespan and extremely high cutting accuracy.

Feature:

1. Provide product drawing customization service.
2. Diamond has strong holding force, is not easy to fall off and is durable.
3. **Stable cutting diamond segment**, no offset, narrow cutting gap, stone waste reduction, high output.

Product Specification:

The Following Are Normal Specifications **Stable Cutting Diamond Segment**:

Blade Diameter	Segment Size			Cutting Machine	Welding Method
	L	W	H		
2000mm, 80 inch	24mm	10.6/9.8mm	15mm	Bridge Cutting Machine Single Arm Machine	Silver Welding By High Frequency Welding Machine

The above specifications is only for reference, other specifications may be available as per customer's demand.

Other Specifications Of Cutter Segment:

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

Multi-Blade And Single-Disc Saw Blade Specifications:


Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

[Product show](#)

China Professional 2000mm Stable Cutting M Shape Diamond Segment Supplier

24mmx10.6/9.8mmx15mm

M Shape



High Quality Diamond

Sandwich Type Segment

Use For Granite, Sandstone, Slate, Kinds Of Hard Stone With Quartz







Application:

[Diamond Segment Cutting Supplier China](#) For Bridge Cutting Machine ,Single Arm Machine.

Stable cutting diamond segment,it is wet use for granite granite, sandstone, slate, kinds of hard stone with quartz.

M shape diamond segment.The structure after molding is tight and the diamond particles are not easy to fall off.

Complete range, tower combination saw, roller combination saw, diamond single saw and mine saw can be used.

**Cutting Effect Of Saw Blade
Segment In The Market**




VS

**Cutting Effect Of Our Saw
Blade Segment**



Tower Saw Blade



Multi Saw Blade



Single Saw Blade



FAQ

1. Do you offer free samples?

Normally we do not offer free samples, but we guaranty our product's quality.

2. Is there cheap shipping cost to import to our country?

For small order, Express will be the best, And for bulk order, sea ship way is best but take longer time. For urgent orders, we suggest via air to airport or by Express send to your door.

3. When you can reply to me when I send you an Inquiry?

We promise to reply within 24 hours(not including holidays) on receipt of your inquiry



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang