

## Feature:

- 1.[Stone Block Cutting Diamond Segments Manufacturer](#),smooth cutting, flat surface and even size cutting result.
- 2.Good cutting result: smooth cutting, flat surface and even size,.
- 3.All kinds of stone materials have targeted professional formula, suitable for cutting stone of different hardness.
- 4.High quality raw materials, choose high strength diamond single crystal and high quality metal matrix (Co, Ni, Wu, Ti, Cu-Fe, etc.).

## Product Description

[Multi Saw Blade Diamond Cutting Segment For Suppliers](#) for suppliers,it is a kind of granite cutter head used on circular saw blade, which is used to cut granite and other hard materials.It can be used in for single arm machine, bridge cutting machine.

Stone block cutting diamond segments is 24mm long. Due to the gradient design of the cutter head, the cutter head has a thickness of 9.2mm and 8.4mm and a height of 13mm. Diamond segments for granite cutting.The cutter head height can also be 15mm and 20mm. For 1600mm saw blade, one 1600mm saw blade with 108 pin teeth.

## Product Specification:

The Following Are Normal Specifications **Stone Block Cutting Diamond Segments**:

Name	Segment Size			Pack Each Box	Roduction Process
	L	W	H		
1600mm Diamond Saw Blade Segment	24MM	9.2/8.4MM	13MM	108Pin	Hot Pressing, Cold Pressing

The above specifications is only for reference, other specifications may be available as per customer's demand.

## Other Specifications Of Cutter Segment:




Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

### Multi-Blade And Single-Disc Saw Blade Specifications:

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

[Product show](#)

**Factory Making Diamond Segment Tips For Cutting Stone Block Manufacturer**



**Use: Wet Use**

**Segment Size: 24\*9.2/8.4\*13mm**

**Application: For 1600MM Saw Blade**






### Application:

Granite Segment is used for 1600mm granite saw blade.

Used in granite, and other hard materials.

[Diamond Segment Cutting Supplier China](#) for single arm machine, bridge cutting machine.





## FAQ

### 1. Are you professional□

All of our company's products are diamond tools or related machinery products. They are highly professional and have maintained their pre-industry level. We are more professional and can help you find the ideal ideal for your market (dealer) or project (end user). Diamond tools.

## 2.Do you provide samples? Is it free or extra?

Yes, we could offer you the sample machine. But it's not free. You need to pay for the sample and the cost of freight.

## 3. If we need technical support, can you offer us?

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.

**Courier Express**  
door to door service



**By Air**  
to destination airport



**By Sea**  
to destination sea port



### Contact Us:

**Fujian Nanan *boreway* Machinery Co.,Ltd.**



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**