

Introduction:

45 Bevel Concrete Edge Grinding Tool E30*M8 are used for CNC machine or portable machine processing the granite, marble, other stones and the counter. Their merits are high efficiency of production, exact figure.

Using sequence: from rough grit to fine, finally polishing.

The following are different shapes design, including: A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC

Features:

1. CNC granite diamond polishing wheels have different shapes and sizes available.
2. Good balance and stable performance.
3. Sintered segment is aggressive for easy and quick stock removal.

Specifications:

The followings are the normal specifications of **45 Bevel Concrete Edge Grinding Tool E30*M8**:

Product Name	Position	Grit	Diameter	Thickness	Stone Shape	Spindle
Diamond Segment Router Bit	Pos1	30/40#	50-125mm	20mm	A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC etc.	M8 M10 M14 1/2 "Gas 22mm 35mm
	Pos2	40/50#		30mm		
	Pos3	80/100#		40mm		
	Pos4	170/200#		50mm		
	Pos5	400#				
	Pos6	600#				
	Pos7	1000#				
	Pos8	Optional				

The above specifications are for reference, other specifications can be ordered by customers.

Picture:

45 Bevel Concrete Edge Grinding Tool E30*M8



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Related product:

Eased Diamond Cutter Router Bit For Granite A30*M8

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com