

Introduction:**Stone profile diamond cutting wheel**

D400*60T*50H are used for profiling and polishing the edge, side of stone ,elevator door cover and frame of fireplace .Their merits are extremely high glossy surface , and high accuracy in size and shape.

Features:

- 1.Different shapes and sizes are available.
- 2.Good balance and stable performance.
- 3.Sintered segment is aggressive for easy and quick stock removal.

Specifications:

The followings are the normal specification of our **Stone profile diamond cutting wheel D400*60T*50H:**

Product Name	Diameter	Thickness	Inner Hole	Application	Shape Type
Diamond grinding wheel	150mm	20/30/40	30	Granite Marble Other stone	Bullnose Single Dupont Single Bullnose Half Radius Single Threshold Single Edge Ogee Bullnose Bevel Double Ogee Double Radius Top Chamfer Other Types
	200mm	20/30/40	30		
	250mm	20/30/40	50		
	300mm	20/30/40	50		
	350mm	20/30/40	50		

The above specification just for a reference.Other specification can be ordered by customers.

Picture:**Stone profile diamond cutting wheel D400*60T*50H**

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

□□□□

D120 sintered grinding wheel diamond for granite, stone diamond profiling wheel for milling



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** boreway@boreway.com

 **Lyon Chang**