Descriptions:



Two Half PCD And One Round Segment Concrete Grinding Block For Epoxy Glue Coating Removing

Two Half PCD Grinding Block used on Universal floor grinding machine. Epoxy, glue, concrete coating removing PCD grinding shoes.

Two Half PCD Grinding Block designed for concrete floor restoration, epoxy, glue and any other concrete floor coating removal.

Specifications:

The following are normal specifications Two Half PCD Grinding Block:


Name:	Two Half PCD Grinding Block		
Segment Grit:	16-270#etc.		
Size:	PCD And Two Round Segments		
Application:	Concrete and Terrazzo Floor		
Segment Size:	1/2 PCD*2T And D25mm*H5mm*1T		
Material:	PCD And Diamond Segment And Metal Blank		
Connection:	Redi Lock Husqvarna or Scanmaskin Blank		
Machine:	Husqvarna Quick Connceting Grinding Machine		
Grit Hardness:	dness: Soft Bond, Medium Bond, Hard Bond		

Specially designed tools are available for any standard application. We can Tailor your tools to your specific needs.

Product Details:

Two Half PCD Grinding Block:

D25mm*H5mm*1T Single Round Segments



<PCD Diamond Grinding Block>









Husqvarna Redi Lock Blank Scanmaskin Blank

Connection:


- (1) Husqvarna Redi Lock
- (2) Scanmaskin Redi Lock


If you are interested in our products, you can click on me.

Applications:

- 1.Two Half PCD Grinding Block used for removing all types of coatings such as paint, varnish, glue, epoxy, acrylic, screed residue, VCT mastic, black tar adhesive as well as thick rubber materials on the concrete floor.
- 2.Two Half PCD Grinding Block suitable for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.







Color:

			1,700			
CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

Note: Special logo, segment size and shapes, installation are available by customer's request.

Advantages:

Two Half PCD Grinding Block very efficient for the toughtest situations such as the removal of very persistent coating.

Features:

Two Half PCD Grinding Block excellent wear resistance, lower cost, better surface finish etc.

Related Products:





Two Quarter PCD Grinding Shoes Two Quarter PCD Diamond Grinding Shoes

About us:



Our service:

- 1. Low order quantity: It can meet the test order you need.
- 2. Fast delivery: We get great discounts from freight forwarders.
- 3. OEM Acceptable: We can produce according to your samples or drawings.
- 4. Good quality: We have a strict quality control system. Has a good reputation in the market.
- 5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

Please test in a very small order and then you will know the quality. Now, so Many people in the world use Chinese products because of their high quality and high quality.

competitive price. We are a professional diamond tool manufacturer.

In any case, for more than 8 years, confirm the quality of our products, small test orders will be tested

necessary.

Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that people will get them.

By paying for samples, we will cherish and appreciate the more they get. We would have been

Be prepared to offer our potential customers a special discount for participating in the test. It is very important to provide feedback to us and we will be very grateful.

3. Does your company accept customization?

Of course, we accept it. Includes different colors, gravel, etc. We can also tag your own logo And the brand on the board. You want us to produce any new products for you, just send us your products.

Drawing or sample, we produce the same. We will not sell such products to others Only customers can get a license.

Please note:

- 1. Please provide items before purchase.
- 2. Please provide the model number before purchase.
- 3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan functional Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **S**Fax: (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 13559599186

E-mail: boreway05@boreway.net

Kelly Huang