

Product Description

Special design of vacuum brazed bush hammer head with support, are mainly designed for texturing and roughening of smooth surfaces and is especially important for performing operations to create anti-slip surfaces on stone floors and steps, etc.

The outer diameter of the bush hammer roller is 43mm, the width is 22mm. The grinding wheel of u-shaped support can also be replaced with 30tooth bush hammer roller and brazed broken particle grinding wheel.

The vacuum brazed diamond has a range of different diamond grit to choose from, for coarse grinding, medium grinding or fine grinding. It has good sharpness and can do the grinding job efficiently.

Feature:

1. Use for Double/Single Rotary Bush Hammer Plate.
2. [Bush Hammer Roller With U Support Manufacturer](#), The special design of U-shaped support meets the needs of customers.
3. The reasonable design of the bush hammer layout ensures its stable performance.
4. Various styles of grinding wheels are produced according to the different needs of customers.

Product Specification:

The Following Are Normal Specifications **Vacuum Brazed Bush Hammer Head With Support:**

Roller Diameter	Roller Width	Support Shape	Roller Type	Application
43mm	22m	U Shape	Vacuum Brazing Roller or Carbide Alloy Roller	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99		
BW-BHR3307	33	6	7	Star Type	
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

More Normal Specification Of Rotary Bush Hammer Plate:

Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30

Can customize the size of other rotary bush hammers roller as required.

[Product show](#)

Vacuum Brazed Integral Bush Hammer Head With U-Shape Support Manufacturer



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Application:

1. Make safety anti-slip surfaces on natural stones.
2. For floor preparation before laying new coatings.
3. Scarify any kind of surface and create antique surface.
4. Remove old glue and resin coatings, in particular thick resins.
5. **[Bush Hammer Roller For Sandblasting Suppliers](#)**, Expose the aggregate in concrete floors to prepare for concrete polishing.



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

FAQ

1. What can Bush Hammers do?

Surface Prep for coatings.

Quickly expose large aggregate.

Remove hard coatings and overlays.

2. Will the teeth of the bush hammer roller fall off ?

of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3. Do you provide many kinds of Bush hammer tool?

We provide 30s, , , m, cdd45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



Contact Us:

Fujian Nanan *boreway* Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang