Introduction:

Welding Frame Rack Machine for Weld Diamond Segment or 250mm - 800mm Circular Blade, it can be welded 1300mm saw blade after being boosted 500mm high. Compared with similar welding machine with a high level of automation, positioning accuracy, stability, and long service life. This series of products using user-friendly design, general workers can operate on the machine.

Feature:

- 1.Welding diameter range: 240 ~ 900 mm.
- 2.Cylinder clamping saw blade base to ensure welding accuracy.
- 3. Small size, light weight, simple operation, general training can be operated simply.

Specification:

Specification of Welding Frame Rack Machine for Weld Diamond Segment or 250mm - 800mm Circular Blade:

	Model No: BWM-HJ08
Welding Range	Ф240mm - 900mm(Max 1400mm)
Verticality	≤± 0.3mm
Parallelism	≤± 0.3mm
Welding Rate	4-20 PCS/Min
Air Pressure	0.3 - 0.6Mpa
Water Pressure	≥ 0.2Mpa
Voltage	220V (Single-phase)50Hz
Power(From LED Light)	1.0W
Water Consumption	1.5 - 2m³/h
Machine Dimensions	L940*W440*H1440mm
Equipment Weight	85Kg
Package Dimensions	L1600*W520*H550(Horizontally)
Package Weight(Wooden Package)	115Kg

Note :This machine doesn't include high frequency Welding machine , air compressor and water pump.

Picture:

Welding Frame Rack Machine for Weld Diamond Segment or 250mm - 800mm Circular Blade


















High frequency machine





Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206 FAX: (+86)595-86990220 WhatsApp:+86-18650679939 Email:boreway02@boreway.net