

description:



Werkmaster Diamond Concrete Grinder With Single Bar Segment Size 40x10x10mm 16 Grit Soft Bond

Diamond Concrete Grinding Plates are the best solution for large areas of thin coating removal, leveling and smoothing high spots in concrete, and work very well for concrete cleaning. Their segments are designed for aggressive grinding of concrete to make short work of your larger projects. These High Quality Diamond Grinding Tools are also ideal for the initial steps in concrete polishing procedures.

Specifications:

Following are the general specifications **Werkmaster Diamond Concrete Grinder With Single Bar Segment Size 40x10x10mm 16 Grit Soft Bond:**


| | |
|-------------------|---|
| Name: | Werkmaster Diamond Concrete Grinder With Single Bar Segment Size 40x10x10mm 16 Grit Soft Bond |
| Block grit: | 16 # 30 # 50 # 120 # and so on |
| Shape: | Werkmaster |
| Block shape shape | Single Bar Segment |

| | |
|-----------|--------------------------------|
| material: | Diamond + metal powder |
| Quality: | International standard quality |
| Bond: | Soft, medium hard, hard |
| Benefit: | High grinding efficiency |

Specifically designed tools are available for any standard application. We can do it Tailor your equipment to your specific needs.

Product Details:

Werkmaster Diamond Concrete Grinder With Single Bar Segment Size 40x10x10mm 16 Grit Soft Bond:



[If you are interested in our products, you can click on me.](#)

Tips: Diamond Bond Choice

Soft Bond - For hard concrete, between 4000 and 5500 psi. The bond must be softened to expose the diamond crystals to grind the hard surface. Hardened concrete consists of hardened granite, quartz, river stone, flint.

Medium bonds - for medium concrete, between 2500 and 4000 psi - are the suggested, most popular and most common bonds used in most cases. For use on common pit gravel and / or medium river stones, traprock, crushed gravel floors. Soft and hard bonds are usually reserved for extreme (unusual) cases.

Hard Bond - For soft concrete, typically below 2500 psi. Bonds have rigid metals in their matrix that withstand friction, so diamond crystals are not kicked-out before the surface has a chance to work. Soft concrete consists of limestone, sandstone, dolomite, soft shell.

We also offer super soft bonds at 5500 psi for additional hard concrete. And super hard bonds for extra soft concrete.

Application:

Werkmaster Diamond Concrete Grinder With Single Bar Segment Size 40x10x10mm 16 Grit Soft Bond

Design for Epoxy, glue, paint, concrete floors, leveling adhesives, thin coating and uneven spots or joints.

Grinding shoes are designed for grinding and polishing concrete floors. Boots / Cakes come with soft bond, rigid bond and standard medium bond and mixed grits. These concrete diamond grinding shoes fit into the fast change style piece and polishing heads.






Features:

- 1) Segment size: 40x10x10mm, 24x10x10mm etc
- 2) Segment Shapes: Rectangle, Round, Arrow, Oval, Rhombus etc
- 3) Grit: Coarse, Medium, Fine(6#,16#,20#,30#,60#,80#,150#,220# etc)
- 4) Bond: Super Soft, Soft, Medium Hard, Hard, Super Hard

Advantages:

- 1) Combination of superior diamonds and an extremely durable and unique matrix
- 2) Removes stock quickly and efficiently to greatly reduce your product and labor cost
- 3) Lasts much longer than competitive products and will not glaze
- 4) Amazing results on most types of concrete from soft to very hard

Related product:



Three segment grinding shoes



Four Segment Grinding Shoes

About us:

Company Information

Fujian Nanan BOREWAY MACHINERY Co., Ltd. is the export company. We are professional factory making and various kinds of diamond tools for concrete and stone. Our main products include concrete grinding tools, diamond polishing pads, diamond core drill bits, cup grinding wheels, diamond blades, diamond router bits and drum wheels etc. With our high quality and good service, BOREWAY is gaining more popularity in international trade. . We sincerely welcome your inquiry and establish long-term cooperation with us. Thank you.

About feedback

Please confirm the products after confirming the receipt.

If you have any questions about the products you received, please contact us and we will do our best to solve this problem and satisfy you.

Our service:

- 1.Low order quantity: It can meet the trial order you need.
2. Fast delivery: We get great discount from freight forwarders.
3. OEM Acceptable: We can produce according to your sample or picture.
4. Good Quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We treat our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

Please test in very short order and then you will know the quality. now

Many people in the world use Chinese products due to their high quality and high quality.

Competitive price. We are a professional diamond tool manufacturer.

In any case, for more than 8 years, please confirm the quality of our products, small trial orders will be tested

Important.

Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe people will achieve them.

By paying for the sample, we will appreciate the more we get. We would be

Be prepared to offer special discounts to our potential customers to participate in the trial.

It is very important to provide us feedback and we would be very grateful.

3. Does your company accept customization?

Of course, we accept it. Various colors, gravel etc. are included, we can also tag our logo

And brand on board. You want us to create a new product for you, just send us your product.

Drawing or sampling, we produce the same. We will not sell such products to others

Only customers can get a license.

Please pay attention:

1) If you are interested in any item, please let us know what style and patience you want. Thanks a lot!

2) If we are not on-line, you can give us a message or email. We will see you again in the shortest time possible.

3) Since computer screens have chromatic aberration, they are essentially a bitty CRT screen and an LCD screen.

4) We cannot guarantee that the color of our products will be exactly the same as the pictures you have seen.

Contact:

Fujian Nanan *boreway* Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



Phone: (+86) 595-86990206 /



Fax: (+86) 595-86990220



Mobile / WhatsApp / WeChat: (+ +) 13559599186



E-mail: boreway09@boreway.net



Chillin lin