

## Product Description

24x11/10x20mm **Wet cutting diamond segment for granite.**Our saw blade segment can be used for cutting granite, marble, basalt, volcanic, lava stone, andesite, travertine, limestone, sandstone, quartz, artificial stone, microcrystal stone.

We also provide china stone blade segment multi blades saw,Stone Block Cutting Diamond Segments ,gang blade segment, marble cutting segment, drill bit segment, grinding pad segment, etc.

We have [Stone Block Cutting Diamond Segments Manufacturer](#) type: "K" type, "V" type, grooved type, M type, taper type etc.Silent and non-silent blades are available for choice for different blade and stones.

## Feature:

- 1.Long service life and high cutting efficiency.
- 2.Multi hole design by customer's requirements.
- 3.M shape segment is easy for diamond opening.
- 4.The surface is flat, the yield is high, and the size cutting is uniform.
- 5.The cutter head is sharp and smooth, and the cutting gap is narrow, reducing cost waste.

## Product Specification:

The Following Are Normal Specifications **Wet Cutting Diamond Segment For Granite** :

Blade Diameter	Segment Size (LxWxH)	Segment Shape	Use	Machine
2000mm (80 Inch)	24X11/10x20mm	M Shape	Wet Use	Single Arm Machine, Bridge Cutting Machine

The above specifications is only for reference, other specifications may be available as per customer's demand.

Customized segment size and numbers will be suggesting can supply different specifications and diameters as per customer's requirement

## Other Specifications Of Cutter Segment:


Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

**Multi Blade And Single Disc Saw Blade Specifications:**


Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble


## Product show

**China Granite Cutting Diamond Blade Segment Manufacturers & Suppliers For European Countries**



Use For 2000mm Diamond Saw Blade








### **Application:**

Use: Wet Use for 2000mm Saw blade.

Process: Cold Pressing, Hot Pressing Sintering.

Machine: For Bridge Cutting Machine, Single Arm Machine.

Application: Segment Weld On Circular Saw Blade For Granite Cutting.




Granite



## Tower Saw Blade



## Multi Saw Blade



## Single Saw Blade



## FAQ

### 1. What is your terms of payment?

We accept DHL, Fedex, TNT, UPS, etc.

### 2. Do you provide samples? Is it free or extra?



Yes, we could offer you the sample machine. But it's not free. You need to pay for the sample and the cost of freight.

### 3. Will the company reduce cost and quality for price?

To reduce other unnecessary costs

To find good agents for lower shipping fees

To find the right suppliers of product materials

It will never reduce the quality of the product. We can optimize the product process and take some measures to protect the quality of the product.



#### Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**