

Descriptions:

2500mm Taper Shape Multi Layer Structure Granite Block Cutting Diamond Segment:

boreway[®]



The design of **Granite Block Cutting Diamond Segment** allows ideal debris removal and bettering cooling.

Our **Granite Block Cutting Diamond Segment** are made by high-quality diamond powder and metal powder mixture, produced by pressing and sintering, diamond powder and metal powder combine closely, the quality is higher and the effect is better.

Such diamond segment are highest ratio of performance to price!

Specifications:

We are instrumental in providing to our valuable customers excellent quality **Granite Block Cutting Diamond Segment** which are available with following specification:


1000-3500 mm Granite Segment Blade dimension					
Diameter		Dimension of Segment			No.of teeth
Inch	mm	length	Thickness	Height	Number
40	1000	24	7.4/6.8	15	70
44	1100	24	7.4/6.8	15	74

48	1200	24	7.5/7.0	15/20	80
52	1300	24	8.0/7.4	15/20	88
56	1400	24	9.0/8.4	15/20	96
64	1600	24	9.0/8.4	15/20	108
72	1800	24	10/9.0	15/20	120
80	2000	24	10.6/9.8	15/20	128
88	2200	24	11.5/10.5	15/20	136
100	2500	24	11.5/10.5	15/20	140
120	3000	24	13.0/12	15/20	160
140	3500	24	13.5/12.5	15/20/30	180

Besides 2500mm Taper Shape Multi Layer Structure **Granite Block Cutting Diamond Segment**, All of our products have been strictly tested before access to market. Other specifications can be customized according to requirements.

Product Details:

2500mm Taper Shape Multi Layer Structure Granite Block Cutting Diamond Segment:



V Shape Multi Layer Structure,
Good debris removal and better cooling

Applications:

2500mm Taper Shape Multi Layer Structure Granite Block Cutting Diamond Segment. Block Cutting of Granite, Sandstone, various hard stone with quartz.


Applicable materials

To meet your demands for cutting different materials, such as granite, marble, quartz stone, sand stone, microcrystalline stone, volcanic rock, concrete, glass, ceramic, masonry etc. Different segments recipe were been developed by our company.






SPK: 24*8.4/7.6*15M
DIA: 600-1800/2000
FOR Granite
NUM: 100Pcs
SD604 6-18/20 U115 K45
DATE: 2013.03.26



Single Blade



Cutting Effect:



Advantages:

1. Ideal edge trimming quality best .
2. Excellent comprehensive cutting performance.
3. High cutting efficiency, meanwhile, it has a long lifespan.

Related Products:



Granite Block Cutting Segment



Granite Edge Cutting Segment



Marble Block Cutting Segment



Marble Edge Cutting Segment

About us:

We have a strict quality control system□



Packing & Delivery:

Packing:

Packing in carton cases:



Delivery:

Less than 45kg, generally delivery by express(Door to Door).



By Air or by Sea for batch goods, Airport/ Port receiving

By air



By sea



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

FAQ:

1.If we want to buy diamond segment, how could we know the quality?

Please buy diamond segment with a small quantity first, test the quality and our service, it will be much better for our long term cooperation. For small quantity, you don't need to take risk in case the quality doesn't fit your market.

2.What could we do if we find your diamond segment are not in good performance?

Please tell us the detailed information of the cutting, for example:

1. The RPM of the machine, the cutting object.
2. The detail picture of diamond segment after use, e.g. the cutting side of diamond segment.
3. Do you feed enough cooling water.

3.What is the delivery way?

Express Courier Service, Sea Cargo and so on. We give the advice according to actual situation for customers make decision.

Please note:

Please use high frequency silver welded machine instead of fire to make the brazing, the welding time is only a few seconds, otherwise the diamond inside the segments will probably be damaged by the high temperature, then the cutting performance will be reduced!

Contact us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /  **Fax:** (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 13559599186



E-mail: boreway06@boreway.net



Aaron Lin